



DECORATIVE WALL PANELS Un-Finished & Pre-Finished



Manufactured using domestic and imported face veneers on veneer core and MDF. Measures 48" x 96".

Note: Real wood panels vary in shade, color, knots and graining. Before installing, place panels around the room to determine the most pleasing layout. Panels constructed of natural veneers, each with a unique grain pattern and knot structure. Samples may not adequately represent the number of knots, color range or grain structure in full-sized panels.

Item #	Species	Finish	Groove Width	Groove Pattern
Liteline - 5/32" Thick				
25194	Birch	Butterwood	1/8"	Orangeburg
25195	Birch	Sagamore	1/8"	Orangeburg
25196	Birch	Signature	1/8"	Orangeburg
25197	Oak	Legacy	1/8"	Orangeburg
Stateline - 1/4" Thick				
25120	Birch	Minnesota	1/8"	Orangeburg
25150	Birch	Wisconsin	1/8"	Orangeburg
25138	Birch	Rustic	1/4"	Orangeburg
25140	Birch	Prairie	1/4"	Orangeburg
25126	Cedar	Rustic	None	None
25130	Oak	Heritage	1/8"	Orangeburg
Coastline - 3/8" Thick				
25180	Fir	Siletz	3/8"	Orangeburg
25179	Oak	Westport	3/8"	8" on Center
Beaded - 5/32" Thick				
25114	Oak	Finished	Beaded	1-1/2" on Center
Beaded - 1/4" Thick				
25182	Kaudamu	Victoria finished	Beaded	1-1/2" on Center
25188	Kaudamu	Victoria unfinished	Beaded	1-1/2" on Center

* Orangeburg pattern is grooved 4-8-4-7-9-6-4-6.

BEADBOARD MDF

Raw




4' x 8' Sheets.

Item #	Thickness In.	Groove Pattern
25110	1/4	1-1/2" on Center



REAL WOOD VENEER PANELS

Aromatic Cedar



Constructed with veneer face and back, veneer core. 4' x 8' panels can be cut to size and used in closets, cabinet interiors, drawer bottoms and as decorative wall covering.

Item #	Size In.
25564	1/4

DECORATIVE WALL PANELS

Visit us on the web at www.unitedplywoods.com

Birmingham, AL
1640 Mims Ave. SW
Ph: 205-925-7601
Fax: 205-925-1315
800-272-6486

Decatur, AL
723 Old Trinity Road
Ph: 256-355-3161
Fax: 256-355-0073
800-321-6886



Mobile, AL
5445 Business Parkway
Ph: 251-378-0188
Fax: 251-378-0190
877-531-7468

Montgomery, AL
581 Trade Center Street
Ph: 334-265-6721
Fax: 334-265-6725
800-392-8024



American Pacific

WOOD PANELS - PLYWOOD
Beadboard Panels - Un-Finished



4' x 8' Sheets. 50 Pieces per unit.

Item #	Description
25630	1/4" Beaded Birch Veneer Core
25631	1/4" Beaded Red Oak Veneer Core

DECORATIVE WALL PANELS



Plywood core. 4' x 8' sheets.

Item #	Finish	Thickness In.	Pieces Per Unit
25622	White rock pine	1/8	100
25624	Lt. autumn cherry	1/8	100
25625	Ice white/ivory oak	1/8	100
25626	Swampland Cypress	1/8	100
25627	Natural Hickory	1/8	100
25600	Mossy oak	1/4	30
25602	White rock pine	1/4	50
25604	Lt. autumn cherry	1/4	50
25605	Ice white/ivory oak	1/4	50



BEADBOARD - MDF
Painted



4' x 8' Sheets.

Item #	Thickness	Finish	Pieces Per Unit
25526	1/4"	Primed white	30

DECORATIVE WALL PANELS
Plywood Core



4' x 8' Sheets.

Item #	Thickness	Finish	Pieces Per Unit
25553	1/4"	Symphony	50
25557	1/4"	Cathedral oak	50
25556	2.7mm	Honey oak	50
25559	2.7mm	Cafe Cedar	50

REAL WOOD PLANKS

Pro Choice



5/16" x 3-11/16" x 8'. Tongue & groove. 14 sq. ft. per box. Sold by the box.

Item #	Description
25560	Knotty cedar
25561	Beaded knotty pine

Visit us on the web at www.unitedplywoods.com

Birmingham, AL
1640 Mims Ave. SW
Ph: 205-925-7601
Fax: 205-925-1315
800-272-6486

Decatur, AL
723 Old Trinity Road
Ph: 256-355-3161
Fax: 256-355-0073
800-321-6886




Mobile, AL
5445 Business Parkway
Ph: 251-378-0188
Fax: 251-378-0190
877-531-7468

Montgomery, AL
581 Trade Center Street
Ph: 334-265-6721
Fax: 334-265-6725
800-392-8024



TEMPERED HARDBOARD

Service Panels




Smooth on two sides. Installs directly to wall studs or over drywall. Measures 4' x 8' sheets.

Item #	Description	Thickness In.
50704	Tempered	1/8
50706	Tempered	1/4

TEMPERED PEGBOARD

Service Panels




Smooth on two sides. Installs directly to wall studs or over drywall. Measures 4' x 8' sheets.

Item #	Description	Thickness In.
50714	Brown perforated	1/4

TEMPERED PEGBOARD

Service Panels




Smooth on two sides. Installs directly to wall studs or over drywall. Measures 4' x 8' sheets.

Item #	Description	Thickness In.
50364	White utility perforated	3/16

TILEBOARD

AquaTile




Water-resistant wall covering for high-moisture areas. Constructed to look and feel like ceramic tile. 1/8" thick x 4' x 8' sheets.

Item #	Finish
50166	Thrifty white
50171	Toned white

TEMPERED MARKER BOARD

Service Panels



Dry eraser, easy clean up. Smooth on two sides. Installs directly to wall studs or over drywall. Measures 4' x 8' sheets.

Item #	Description	Thickness In.
50360	White	1/4

DECORATIVE WALL PANELS

Visit us on the web at www.unitedplywoods.com

Birmingham, AL
1640 Mims Ave. SW
Ph: 205-925-7601
Fax: 205-925-1315
800-272-6486

Decatur, AL
723 Old Trinity Road
Ph: 256-355-3161
Fax: 256-355-0073
800-321-6886




Mobile, AL
5445 Business Parkway
Ph: 251-378-0188
Fax: 251-378-0190
877-531-7468

Montgomery, AL
581 Trade Center Street
Ph: 334-265-6721
Fax: 334-265-6725
800-392-8024

NUDO
Products, Inc.

FRP LINER PANELS & ADHESIVE

Fiber-Lite®



For use in kitchens, restaurants, agricultural buildings, restrooms, clinics and health care facilities. Installs directly to solid walls or drop in ceiling tiles. Fiberglass reinforced plastic construction. White textured.

Item #	Dimensions Ft.	Thickness In.
62000	4 x 8	0.09

* Panels and accessories available in numerous colors.
* Panels available in 4' x 9', 4' x 10', 4' x 12' and rolls up to 500' long.



Accessories

Item #	Description
62004	8' Divider
62005	8' Inside Corner
62006	8' Cap
62007	8' Outside Corner

PRE-LAMINATED FRP PANELS

Fiber-Lite®



For use in barns, sheds, partitions, cold storage, freezers and warehouses. Features FRP overlay on plywood, OSB, or gypsum. Resists moisture, stains, odors and chemicals. Cleans easily. Class C fire-rated surface. USDA certified.

Available in a variety of colors and sizes. Contact your United Plywoods sales representative for additional information.

VINYL PLANKS

Corrugated – Nu-Plank™



For use in ceilings, walls or partitions in agricultural, industrial, cold storage and modular building applications. Seamless, interlocking design for smooth surface with no exposed fasteners or moldings. Resists moisture, mold, mildew, rot and chemicals. Class A fire rated. USDA accepted.

Available in a variety of colors and sizes; textured and smooth. Contact your United Plywoods sales representative for additional information.

PRE-LAMINATED FRP PANELS

Corrugated - Fibercorr™



For lightweight, water resistant wall and ceiling applications. Features corrugated plastic core. Resists moisture, stains, odors and chemicals. Provides moisture barrier and impact resistance. Class C fire-rated. USDA and FDA approved.

Available in a variety of colors and sizes; textured and smooth. Contact your United Plywoods sales representative for additional information.

FRP ADHESIVE



Item #	Description
62020	4 Gal. FRP adhesive

Visit us on the web at www.unitedplywoods.com

Birmingham, AL
1640 Mims Ave. SW
Ph: 205-925-7601
Fax: 205-925-1315
800-272-6486

Decatur, AL
723 Old Trinity Road
Ph: 256-355-3161
Fax: 256-355-0073
800-321-6886




Mobile, AL
5445 Business Parkway
Ph: 251-378-0188
Fax: 251-378-0190
877-531-7468

Montgomery, AL
581 Trade Center Street
Ph: 334-265-6721
Fax: 334-265-6725
800-392-8024



SOLID COLOR MOULDINGS

Crystal White™



DECORATIVE WALL PANELS

Features polystyrene substrate construction. Will not warp or split. Resists moisture. Paintable.
 #30862 Fluted door trim kit includes: (2) 7' fluted casing pieces, 42" fluted casing piece and (2) rosette corner blocks.

Item #	Profile	Dimensions (H x D) In.	Length Ft.	Carton Quantity
30832	OG Crown	2-3/16 x 9/16	8	9
33560	Cove	11/16 x 11/16	8	25
33506	Stop	1-1/4 x 3/8	7	16
30824	Inside corner	15/16 x 3/8	8	20
33561	Screen trim	3/4 x 1/4	8	25
33518	Shoe	5/16 x 5/8	8	35
30825	Quarter round	5/8 x 5/8	8	20
33562	Lattice	1-1/8 x 3/16	8	25
33508	Casing	1-15/16 x 7/16	7	25
30826	OG Outside corner	1 x 1	8	15
33565	Casing	2-1/4 x 5/8	7	20
33514	Cap	1-1/8 x 3/8	8	20
30834	OG Chair rail	2-5/8 x 5/8	8	12
33512	Cove	1-7/16 x 3/8	8	25
30828	OG Casing	2-1/8 x 5/8	7	15

Item #	Profile	Dimensions (H x D) In.	Length Ft.	Carton Quantity
33516	Batten	1 x 1/4	8	25
33503	Outside corner	1 x 1	8	30
30830	OG Base	3-1/4 x 7/16	8	12
33500	Inside corner	1 x 5/16	8	25
33509	Ranch casing	2-1/4 x 5/8	7	15
30829	OG Stop	1-3/8 x 3/8	7	25
33502	Outside corner	11/16 x 11/16	8	25
33511	Ranch base	3-3/16 x 7/16	8	12
33559	Bed Mould	1-11/16 x 9/16	8	25
33510	Base	2-3/8 x 3/8	8	16
30862	Fluted Door Trim Kit	-	-	3
30854	Fluted Casing	3-3/16 x 9/16	7	14
33563	Stop	1-1/8 x 3/8	7	30

Visit us on the web at www.unitedplywoods.com

Birmingham, AL
 1640 Mims Ave. SW
 Ph: 205-925-7601
 Fax: 205-925-1315
 800-272-6486

Decatur, AL
 723 Old Trinity Road
 Ph: 256-355-3161
 Fax: 256-355-0073
 800-321-6886





Mobile, AL
 5445 Business Parkway
 Ph: 251-378-0188
 Fax: 251-378-0190
 877-531-7468

Montgomery, AL
 581 Trade Center Street
 Ph: 334-265-6721
 Fax: 334-265-6725
 800-392-8024



WOODGRAIN MOULDINGS

Russett – Classic Profile





Features woodgrain patterns for natural, hand finished appearance. Constructed of polystyrene materials. Resists moisture, warping, cracking and splintering. Russett finish.

Item #	Profile	Length Ft.	Carton Qty
33416	Batten	8	25
33412	Cove	8	25
33400	Inside corner	8	25
33402	Outside corner	8	25
33410	Base	8	16
33418	Shoe	8	35
33424	Quarter round	8	25
33408	Casing	7	25
33425	Cap	8	20

WOODGRAIN MOULDINGS

Amber – Classic Profile



Features woodgrain patterns for natural, hand finished appearance. Constructed of polystyrene materials. Resists moisture, warping, cracking and splintering. Amber finish.

Item #	Profile	Length Ft.	Carton Qty
33534	Crown	8	12
33536	Base	8	12
33530	Inside corner	8	20
33532	Stop	7	25
33537	Quarter round	8	20
33531	Outside corner	8	14
33535	Casing	7	15

Visit us on the web at www.unitedplywoods.com

Birmingham, AL
1640 Mims Ave. SW
Ph: 205-925-7601
Fax: 205-925-1315
800-272-6486

Decatur, AL
723 Old Trinity Road
Ph: 256-355-3161
Fax: 256-355-0073
800-321-6886




Mobile, AL
5445 Business Parkway
Ph: 251-378-0188
Fax: 251-378-0190
877-531-7468

Montgomery, AL
581 Trade Center Street
Ph: 334-265-6721
Fax: 334-265-6725
800-392-8024



WOODGRAIN MOULDINGS


Ultra Oak



Features polystyrene substrate construction with laminated wood grain design. Resists warping and splitting. Oak finish.

Item #	Profile	Dimensions (H x D) In.	Length Ft.	Carton Quantity
33700	Crown	3-3/16 x 5/8	8	14
33704	Outside corner	1 x 1	8	14
33705	Inside corner	15/16 x 5/16	8	20
33702	Casing	2-3/8 x 11/16	7	12
33707	Batten	1 x 1/4	8	25
33703	Base	3-1/2 x 9/16	8	14
33709	Quarter round	5/8 x 5/8	8	25

TILEBOARD MOULDINGS



White finish. Measures 8-ft. L x 1/8" Thick. 25 Pieces per box.

Item #	Profile
31100	Inside corner
31102	Outside corner
31114	Cap
31130	Divider

DECORATIVE WALL PANELS

Visit us on the web at www.unitedplywoods.com

Birmingham, AL
1640 Mims Ave. SW
Ph: 205-925-7601
Fax: 205-925-1315
800-272-6486

Decatur, AL
723 Old Trinity Road
Ph: 256-355-3161
Fax: 256-355-0073
800-321-6886



Mobile, AL
5445 Business Parkway
Ph: 251-378-0188
Fax: 251-378-0190
877-531-7468

Montgomery, AL
581 Trade Center Street
Ph: 334-265-6721
Fax: 334-265-6725
800-392-8024

